The ABUS HB system

A smooth-running crane solution for manual handling

A

01

12 man 1 5 M

BKS



Flange clamp





Dowel fixing

Support console





Roof stool fixing



Tie console for reinforced concrete beams



Tie console

HB support fixings

Standardised and interchangeable fixing solutions for a variety of mounting applications on site.





Short suspension



Inclined suspension



Normal stiffener





Suspensions

Variable suspension options offer the required flexibility for your mounting situation.





HB110 S



HB150 S



HB190 S



HB240 S

Profile

Compact and loadoptimised HB profile in steel and aluminium for easy handling of loads.



HB150 A



HB190 A



Electric chain hoist ABUCompact

Chain hoist

High-performance electric chain hoists from the ABUCompact series lift your loads reliably and safely. Innovative trolleys ensure a smooth-running and noise-optimised performance.

ABUS HB system - product range

Direction of movement	Туре	Configuration sketch	Load Capacity	Max. crane girder length
Linear transport	Monorail system		2.000 kg	-
For area coverage	Single girder crane EHB		500 kg	10,0 m
			800 kg	10,0 m
			1.000 kg	9,0 m
			1.250 kg	4,0 m
	Single girder crane EHB-X (stooled-up crane)		500 kg	8,0 m
		8	800 kg	8,0 m
			1.000 kg	7,3 m
	Double girder crane ZHB		500 kg	12,0 m
			800 kg	12,0 m
			1.000 kg	12,0 m
	Stooled-up double girder crane ZHB-X (stooled-up crane)		500 kg	8,0 m
		· · · · · · · · · · · · · · · · · · ·	800 kg	8,0 m
			1.000 kg	8,0 m
	Double girder crane ZHB-I (running on I-beams)		500 kg	12,0 m
		NAN ANT	800 kg	12,0 m
			1.000 kg	12,0 m
	Single girder crane EHB-I (running on I-beams)		500 kg	10,0 m
			800 kg	10,0 m
			1.000 kg	9,0 m
			1.250 kg	4,0 m



You can find further crane designs up to 2 t in our main brochure: ABUS HB system.

We would be pleased to attend site to view your application and offer advice as to how an HB system may assist. Please contact us at:

ABUS Crane Systems Ltd. · Unit 1 Business Village Blackbushe Business Park · Yateley · Hampshire GU46 6GA Phone (01252) 749 000 · Fax (01252) 749 001 e-mail: info@abuscranes.co.uk · www.abuscranes.co.uk

